

LED MULTITRIX 320 RGBWA DMX

Ref. nr.: 153.724



INSTRUCTION MANUAL **GEBRUIKSAANWIJZING** GEBRAUCHSANLEITUNG MANUAL DE INSTRUCCIONES

ENGLISH

Congratulations to the purchase of this Bearry Professional light effect. Please read this manual thoroughly prior to using the unit in order to benefit fully from all features.

Read the manual prior to using the unit. Follow the instructions in order not to invalidate the warranty. Take all precautions to avoid fire and/or electrical shock. Repairs must only be carried out by a qualified technician in order to avoid electrical shock. Keep the manual for future reference.

- shock. Keep the mainsal for future reference.

 Prior to using the unit, please ask advice from a specialist. When the unit is switched on for the first time, some smell may occur. This is normal and will disappear after a while.

 The unit contains voltage carrying parts. Therefore do NOT open the housing.

 Do not place metal objects or pour liquids into the unit This may cause electrical shock and maffunction.

 Do not place the unit near heat sources such as radiators, etc. Do not place the unit near writering surface. Do not occur the ventilation holes.

 The unit is not suitable for continuous use.

 Be careful with the mains lead and do not damage it. A faulty or damage mains lead can cause electrical shock and maffunction.

 When unplugging the unit from a mains outlet, always pull the plug, never the lead.

 If the plug and/or the mains lead are damaged, they need to be replaced by a qualified technician.

 If the plug and/or the mains lead are damaged, they need to be replaced by a qualified technician parts are visible, de NOT plug the unit into a mains outlet and DO NOT owncet the unit to a rheestat or dimmer.

 To avoid fire and shock hazard, do not expose the unit to rain and moisture.

- All repairs should be carried out by a qualified technician only.

 Connect the unit to an earthed mains outlet (220-240/us/50Hz) protected by a 10-164 fuse. During a thunderstorm or if the unit will not be used for a longer period of time, unplug if from the mains. The rule is: Unplug it from the mains when not in use. If the unit has not been used for a longer period of time, condensation may occur. Let the unit reach room temperature before you switch if on. Never use the unit in humid rooms or outdoors.

 During operation, the housing becomes very hot. Do not touch it during operation and immediately after.

- To prevent accidents in companies, you must follow the applicable guide lines and follow the instructions.

 Secure the unit with an extra safety chain if the unit is ceiling mount. Use a truss system with clamps. Make sure nobody stands in the mounting area. Mount the effect at least 50cm away from inflammable material and leave at least 1 meter space on every side to ensure sufficient cooling.

 This unit contains high intensity LEDs. Do not look into the LED lint to prevent damage to your evers.

- This unit contains high intensity LEDs. Do not look into the LED light to prevent dramage to your eyes. Do not repeatedly switch the fixture on and off. This shortens the life time. Keep the unit out of the reach of children. Do not leave the unit unattended. Do not use cleaning sprays to clean switches. The residues of these sprays cause deposits of dust and grease, in case of malfunction, always seek advice from a specialist.

- a specialist.

 Only operate the unit with clean hands,
 Do not force the controls.

 If the unit has fallen, always have it checked by a
 qualified technician before you switch the unit on again,
 Do not use chemicals to clean the unit. They damage the
 varnish, Only clean the unit with a dry cloth.
 Keep away from electronic equipment that may cause
 interference.

- Reep away from electronic equipment that may cause interference.
 Only use original spares for repairs, otherwise serious damage and/or dangerous radiation may occur.
 Switch the unit off prior to unplugging it from the mains and/or other equipment. Unplug all leads and cables prior to moving the unit.
 Make sure that the mains lead cannot be damaged when people walk on it. Check the mains lead before every use for damages and faults.
 The mains voltage is 220-240/us/cb/tz. Check if power outlet match. If you travel, make sure that the mains voltage of the country is suitable for this unit.
 Keep the original packing matterial so that you can transport the unit in safe conditions.

This mark attracts the attention of the user to high voltages that are present inside the housing and that are of sufficient magnitude to cause a shock hazard.

This mark attracts the attention of the user to important instructions that are contained in the manual and that he should read and adhere to.

DO NOT LOOK DIRECTLY INTO THE LENS. This can damage your eyest Persons who are subject to epileptic attacks should be aware of the effects that this light effect may have on them. The unit has been certified CE. It is prohibited to make any changes to the unit, They would invalidate the CE certificate and their guarantee!

NOTE: To make sure that the unit will function normally, it must be used in rooms with a temperature between 5°C/41°F and 35°C/95°F.

The LED MultiTrix can be operated by DMX control or can be used as an individual unit without controller. It can be linked together in master/slave mode, and perform a great built-in programmed lighting show or it can be triggered by music.

Control



A. Master/Slave operation
 B. Easy sound active and Auto mode
 C. Universal DMX controller

In Master/Slave mode refer to the DMX settings below: Master unit: when working at Auto-run or Sound Control mode operation Slave units: DMX start address MUST be set to d001.

DMX Settings

CH1	LED Gobo (0-255)
CH2	LED Gobo Speed (101-255)
снз	Auto DMX (11~200)
	Sound DMX (201~255)

Manual setting mode:

A1 Mode	Auto1 setting	Speed 1~9
1 Mode	Sound active1 setting	Speed 1~9
d Mode	DMX setting.	

Technical specification

Consumption	50W
DMX channels	3
No. of LEDs	320x 5mm (Red 80, Green 80, Blue 80, White 40, Amber 40 pcs)
Power Supply	220-240Vac / 50Hz
Dimensions	400 x 400 x 270mm
Weight	4kg

The specifications are typical. The actual values can slightly change from one unit to the other. Specifications can be changed without prior notice.







www.tronios.com

Copyright © 2013 by TRONIOS the Netherlands